

Bibliografia

- American Psychiatric Association (1994) Diagnostic and Statistical Manual of Mental Disorders (4th edn) (DSM^IV). Washington, DC: APA.
- American Psychiatric Association. Practice guideline for the treatment of patients with borderline personality disorder. Washington DC: American Psychiatric Association, 2001
- Andreoli A. Il ruolo della psicoterapia nel trattamento dei disturbi psichiatrici acuti. *Epid Psich Soc*, 2004; 4: 227-236.
- Asioli F. Il trattamento dei pazienti con doppia diagnosi. Le difficoltà attuali. *Psichiatria di Comunità*, 2004; 2: 90-93.
- Bateman A. Fonagy P. Il trattamento basato sulla mentalizzazione. Milano: Raffaello Cortina Editore, 2006
- Bateman A. Fonagy P. Randomized Controlled Trial of Outpatient Mentalization-Based Treatment Versus Structured Clinical Management for Borderline Personality Disorder. *Am J Psychiatry* 2009; Dec;166(12):1355-64
- Bateman A.W., Fonagy P. Effectiveness of psychotherapeutic treatment of personality disorders. *The British Journal of Psychiatry* 2000; 177: 138-143
- Bender DS, Dolan RT, Skodol AE, et al. Treatment utilization by patients with personality disorders. *Am J Psych*, 2001; 158: 295-302.
- Binks CA, Fenton M, McCarthy L, et al.: Psychological therapies for people with borderline personality disorder. *Cochrane Database Syst Rev* 2006; 1:CD005652
- Black DW, Blum N, Pfohl B, Hale N. Suicidal behavior in borderline personality disorder: prevalence, risk factors, prediction, and prevention. *J Pers Disord*. 2004;18:226-39.
- Bohus M, Haaf B, Simms T, et al. Effectiveness of inpatient dialectical behavioral therapy for borderline personality disorder: a controlled trial. *Behav Res Ther* 2004; 42: 487-99
- Bohus M, Haaf B, Stiglmayr CE, Pohl U, Boehme R, Linehan MM. Evaluation of inpatient dialectical-behavioral therapy for borderline personality disorder: a prospective study. *Behav Res Ther* 2000; 38: 875-87
- Bornovalova MA, Lejuez CW, Daughters SB, Zachary Rosenthal M, Lynch TR. Impulsivity as a common process across borderline personality and substance use disorders. *Clin Psychol Rev*. 2005;25:790-812.
- Burns T, Firn M. *La presa in carico intensiva sul territorio*. Roma: Il Pensiero Scientifico Editore, 2003: 220-221.
- Chamberlain SR, Sahakian BJ. The neuropsychiatry of impulsivity. *Curr Opin Psychiatry*. 2007;20:255-61.
- Clark LA, Livesley WJ, Morey L. Personality disorder assessment: the challenge of construct validity. *J Personal Disord* 1997; 11:205-231
- Clark LA. Assessment and diagnosis of personality disorder: perennial issues and an emerging reconceptualization. *Annu Rev Psychol*. 2007; 58:227-57.
- Clarkin J.F., Yeomans F.E., Kernberg O.F: Psicoterapia delle personalità borderline. Milano: Raffaello Cortina Editore, 2000
- Clerici M, Carrà G, Segagni Lusignani G, Sciarini P, Borrelli P, Popa I, Di Giannantonio M, Montomoli C. Epidemiological study on comorbidity of mental disorders and substance-related disorders in Italian Mental Health Care Trusts: preliminary results. *Minerva Psichiatrica*. 2008;49,2:101-110
- Clerici M. et al. (1989), "Substance abuse and psychopathology: a diagnostic screening of Italian Narcotic addicts", *Social Psychiatry Psychiatr Epidemiol.*, 24-219.
- Clerici, M. Bertolotti Ricotti, P., Malagoli, M. (2000). Epidemiologia e diagnosi della comorbilità psichiatrica nei disturbi da uso di sostanze. Un modello di lavoro applicato ai programmi residenziali. I quaderni di Itaca. 40-55

- Cloninger CR, Svrakic DM, Przybeck TR: A psychobiological model of temperament and character. *Arch Gen Psychiatry* 1993; 50:975–990
- Cohen P, Chen H, Crawford TN, Brook JS, Gordon K. Personality disorders in early adolescence and the development of later substance use disorders in the general population. *Drug Alcohol Depend.* 2007 Apr;88 Suppl 1:S71-84. Epub 2007 Jan 16.
- Correale A., Alonzi A.M., Carnevali A., Di Giuseppe P., Giacchetti N. (2001). *Borderline. Lo sfondo psichico naturale*. Edizioni Borla, Roma.
- Costa PT, McCrae RR. The five-factor model of personality and its relevance to personality disorders. *J Personal Disorders*. 1992; 6:343–359.
- Amasio A. (2000). *Emozioni e coscienza*. Adelphi, Milano.
- DSM IV-TR. Manuale diagnostico e statistico dei disturbi mentali. Text Revision. Masson Elsevier, Milano 2000.
- Fioritti, A. & Solomon, J. (2002) Doppia diagnosi. Epidemiologia clinica e trattamento. Franco Angeli Editore.
- First MB, Bell CB, Cuthbert B, Krystal JH, Malison R, Offord DR, Reiss D, Shea MT, Widiger TA, Wisner KL. Personality disorders and relational disorders: A research agenda for addressing crucial gaps in DSM. In: Kupfer DJ, First MB, Regier DA, editors. *A research agenda for DSM– V*. Washington, DC: American Psychiatric Association; 2002:123-199.
- First MB, Gibbon M, Spitzer RL, Williams JB, Benjamin LS. Structured Clinical Interview for DSM-IV Axis-II Personality Disorders. Washington DC: American Psychiatric Press 1997.
- First MB, Spitzer, RL, Gibbon M. Structured Clinical Interview for Axis I DSM IV Disorders. New York: Biometrics Research. 1994
- Fonagy P., Target M., Attaccamento e funzione riflessiva Milano: Raffaello Cortina Editore, 2001
- Gabbard G.O. (2005). Mind brain and personality disorders. *American Journal of Psychiatry*. 2005 162(5), 833.5
- Gabbard G.O. Psychotherapy of personality disorders. *Journal of psychotherapy practice and research* 2000; 9:1-6
- Giesen-Bloo J, van Dyck R, Spinhoven P et al. Outpatient psychotherapy for borderline personality disorder: randomized trial of schema-focused therapy vs transference-focused psychotherapy. *Arch Gen Psychiatry* 2006; Jun;63(6):649-58.
- Glenn CR, Klonsky ED. Emotion dysregulation as a core feature of borderline personality disorder. *Journal of personality disorders*. 2009; 23 (1); 20-28
- Goodman M, New A. Impulsive aggression in borderline personality disorder. *Curr Psychiatry Rep.* 2000;2:56-61.
- Grilo C Decoro e Outcome dei Disturbi di Personalità. In Oldham JM, Skodol AE, Bender DS (eds). *Trattato dei Disturbi di Personalità*. Milano 2008: 159-179.
- Gross,R., Olfson, M.,Gameroff, M.; Shea,S; Feder, A; Fuentes, A.,Lantigua, R., Weissman, R. Borderline Personality Disorder in Primary Care *Arch Intern Med.* 2002;162:53-60.
- Gunderson J.G. La personalità borderline, una guida clinica. Milano: Raffaello Cortina Editore, 2003
- Gunderson JG, Shea MT, Skodol AE, McGlashan TH, Morey LC, Stout RL, Zanarini MC, Grilo CM, Oldham JM, Keller MB: The Collaborative Longitudinal Personality Disorders Study: development, aims, design, and sample characteristics. *J Personal Disord* 2000; 14:300-315.
- Gunderson JG, Weinberg I, Daversa MT, Kueppenbender KD, Zanarini MC, Shea MT, Skodol AE, Sanislow CA, Yen S, Morey LC, Grilo CM, McGlashan TH, Stout RL, Dyck I. Descriptive and longitudinal observations on the relationship of borderline personality disorder and bipolar disorder. *Am J Psychiatry*. 2006 Jul;163(7):1173-8.
- Gunderson JG. *La personalità borderline*. Milano: Raffaello Cortina Editore, 2003: 1-24.
- Harley R. M., Baity M. R., Blais M. A. and Jacobo M. C. Use of dialectical behavior therapy skills training for borderline personality disorder in a naturalistic setting. *Psychotherapy Research* 2007; 17:3,351-358

- Herpertz SC. Emotional processing in personality disorder. *Curr. Psychiatry Rep.* 2003; 5,23-27.
- Kernberg O. (2006). *Disturbi gravi della personalità*. Bollati Boringhieri, Torino.
- Kolla NJ, Eisenberg H, Links PS. Epidemiology, risk factors, and psychopharmacological management of suicidal behavior in borderline personality disorder. *Arch Suicide Res.* 2008;12:1-19.
- Leichsenring F, Leibing E. The Effectiveness of Psychodynamic Therapy and Cognitive behavior Therapy in the treatment of Personality Disorders: a Meta-analysis. *Am J Psychiatry* 2003 ; 160 (7): 1223-1232
- Lenzenweger MF, Clarkin JF. I disturbi di personalità: storia classificazione, ricerca. In: *I disturbi di personalità, le Cinque Principali Teorie*. Milano: Raffaello Cortina, 1997: 3-36.
- Lewis, G.& Appleby, L. (1988). Personality disorders:the patients psychiatrists dislike. *British Journal of psychiatry*. 153, 44-49
- Lieb K., Zanarini M.C.,Schmahl Christian, Linehan MM, Bohus M. (2004). Borderline Personality disorder. *Lancet* 364, 453-461
- Linehan M.M. Trattamento cognitivo-comportamentale del disturbo borderline. Il modello dialettico. Milano: Raffaello Cortina Editore, 2001
- Linehan MM, Armstrong HE, Suarez A, Allmon D, Heard H. Cognitive behavioral treatment of chronically parasuicidal borderline patients. *Arch Gen Psychiatry* 1991;48:1060-4
- Links PS, Heslegrave R, van Reekum R. Prospective follow-up study of borderline personality disorder: prognosis, prediction of outcome, and Axis II comorbidity. *Can J Psychiatry*. 1998 Apr;43(3):265-70.
- Liotti G. (2001). *Le opere della coscienza*. Raffaello Cortina Editore, Milano.
- Lora A (2009). An overview of the mental health system in Italy. *Ann Ist Super Sanita*. 2009;45(1):5-16.
- Loranger, AW. International Personality Disorder Examination: DSM-IV and ICD-10 Interviews. Odessa, FL: Psychological Assessment Resources; 1999
- McGlashan TH, Grilo CM, Skodol AE, Gunderson JG, Shea MT, Morey LC, Zanarini MC, Stout RL. The Collaborative Longitudinal Study: baseline Axis I/II and II/II diagnostic co-occurrence. *Acta Psychiatr Scand* 2000;102:256-264.
- McGlashan TH. The Chestnut Lodge follow-up study. III. Long-term outcome of borderline personalities. *Arch Gen Psychiatry*. 1986 Jan;43(1):20-30.
- Meares R. (2000). *Intimacy & Alienation. Memory, trauma and personal being*. Routledge, London and Philadelphia. [tr. it] Intimità e alienazione. Il Sé e le memorie traumatiche in psicoterapia. Raffaello Cortina Editore, Milano, 2005.
- Moeller FG, Barratt ES, Dougherty DM, Schmitz JM, Swann AC. Psychiatric aspects of impulsivity. *Am J Psychiatry*. 2001;158:1783-93.
- Monari M. (1999). Il disturbo borderline. In Berti Ceroni G., Correale A., (a cura di) *Psicoanalisi e Psichiatra*. Raffaello Cortina Editore, Milano.
- National Institute for Health and Clinical Excellence (NICE). Borderline Personality Disorder. Treatment and management. NICE clinical guideline CG 78, Jan. 2009 www.nice.org.uk/cg78
- Paris J, Zweig-Frank H. A 27-year follow-up of patients with borderline personality disorder. *Compr Psychiatry*. 2001;42(6):482-7.
- Paris J. Borderline personality disorder. *CMAJ*. 2005 Jun 7;172(12):1579-83.
- Paris, J. Borderline Personality Disorder. Washington, DC: American Psychiatric Press; 1993.
- Patton J, Stanford M, Barratt E. Barratt impulsiveness scale, version 11 [BIS 11]. In N. Schutte & J. Malouff (Eds.), *Sourcebook of Adult Assessment*. New York: Plenum Press. 1995; 361-364
- Perry JC and Bond M. Empirical studies of psychotherapy for personality disorders. In: *Psychotherapy for personality disorders*. Gunderson JG e Gabbard GO (eds), Washington DC: American Psychiatric Association, 2000; 1-31
- Perry JC, Banon E, Ianni F Effectiveness of psychotherapy for personality disorders Am J Psychiatry 1999; Sep;156(9):1312-21

- Pozzi E., Ridolfi M.E., Daniel D.B., Manganaro D., Berardi D. (2008), Multiple integrated treatment of Bordeline personality disorders, in Psychoanalytic Psychotherapy, 22 (3), pp. 218-234, Londra.
- Pozzi, G., Frustaci, A., Janiri, L., & Di Giannantonio M. (2006). The challenge of psychiatric comorbidity to the public service for drug dependence in Italy. A National Survey. Drug and alcohol dependence. 82;224-230
- Rossi Monti M, Foresti G. Una diagnosi double-face. Il disturbo borderline di personalità. *Psichiatria di Comunità*, 2005; 3: 137- 146.
- Sansone RA, Sansone LA. (2009). Borderline personality and criminality. *Psychiatry (Edgmont)*.;6(10):16-20.
- Sansone RA. Chronic suicidality and borderline personality. *J Personal Disord* 2004;18:215–225.
- Saulsman LM, Page AC. The five-factor model and personality disorder empirical literature: A meta-analytic review. *Clin Psychol Rev*;2004; 23(8):1055-85.
- Sher KJ, Trull TJ. Substance use disorder and personality disorder. *Cur Psychiatry Rep*. 2002;4:25-9.
- Skodol AE, Gunderson JG, Pfhol B, et al. The borderline diagnosis I: Psychopathology, comorbidity, and personality structure. *Biol Psych*, 2002; 51: 936-950.
- Skodol AE, Gunderson JG, Shea MT, McGlashan TH, Morey LC, Sanislow CA, Bender DS, Grillo CM, Zanarini MC, Yen S, Pagano ME, Stout RL. The Collaborative Longitudinal Personality Disorders Study (CLPS): overview and implications, in *Journal of Personality Disorders*, 2005; 19 (5): 487-504.
- Skodol AE, Shea MT, Yen S, White CN, Gunderson JG. Personality disorders and mood disorders: perspectives on diagnosis and classification from studies of longitudinal course and familial associations. *J Pers Disord*. 2010; 24(1):83-108.
- Skodol AE, Stout RL, McGlashan TH, Grilo CM, Gunderson JG, Shea MT, Morey LC, Zanarini MC, Dyck IR, Oldham JM. Co-occurrence of mood and personality disorders: a report from the Collaborative Longitudinal Personality Disorders Study (CLPS). *Depress Anxiety* 1999;10:175–182.
- Steinberg M., Schnall M. (2006). *La dissociazione. Cinque sintomi fondamentali*. Raffaello Cortina Editore, Milano.
- Stone MH. Long-term outcome in personality disorders. *Br J Psychiatry*. 1993;162:299-313.
- Stone MH. The borderline syndrome: evolution of the term, genetic aspects, and prognosis. *Am J Psychother*. 1977 ;31:345-65.
- Sweeney DR. Treatment of outpatients with borderline personality disorder. *J Clin Psychiatry*. 1987;48:32-7.
- Tansella M. La scoperta del continente “inesplorato” dei disturbi mentali nella medicina generale e i suoi effetti sullo stile di lavoro degli psichiatri nella comunità. In: Ascoli F, Berardi D. *Disturbi psichiatrici e cure primarie*. Roma: Il Pensiero Scientifico Editore, 2007: IX-XXIII.
- Trull TJ, Durrett CA. Categorical and dimensional models of personality disorder. *Annu Rev Clin Psychol*. 2005; 1:355-80.
- Trull TJ, Sher KJ, Minks-Brown C, Durbin J, Burr R. Borderline personality disorder and substance use disorders: a review and integration. *Clin Psychol Rev*. 2000;20:235-53.
- Tyrer P. e Davidson K. Cognitive Therapy for Personality Disorders. In: *Psychotherapy for personality disorders*. Gunderson JG e Gabbard GO (eds), Washington DC: American Psychiatric Association 2000; 1-31
- van den Bosch LM, Verheul R. Patients with addiction and personality disorder: Treatment outcomes and clinical implications. *Curr Opin Psychiatry*. 2007;20:67-71.
- Van den Bosch Louisa, Verheul S., Schippers G.M. Dialectical Behavior Therapy of borderline patients with and without substance use problems: Implementation and long-term effects. *Addictive Behaviors*, Volume 27, Issue 6, November-December 2002; 911-92

- Verheul, R., Van den Bosch, L.M.C., Koeter, M.W.J, *et al.* Dialectical behaviour therapy for women with borderline personality disorder: 12-month, randomised clinical trial in the Netherlands. *British Journal of Psychiatry* 2003; 182, 135-140
- Weaver TL, Clum GA. Early family environments and traumatic experiences associated with borderline personality disorder. *J Consult Clin Psychol.* 1993 (6):1068-75.
- Weinberg I, Gunderson JG, Hennen J *et al.* Manual assisted cognitive treatment for deliberate self-harm in borderline personality disorder patients. *J Pers Disord.* 2006; Oct;20(5); 482-92
- White CN, Gunderson JG, Zanarini MC, Hudson JI. Family studies of borderline personality disorder: a review. *Harv Rev Psychiatry.* 2003;11(1):8-19.
- Widiger TA, Simonsen E, Krueger R, Livesley WJ, Verheul R. Personality disorder research agenda for the DSM-V. *J Pers Disord* 2005; 19(3):315-38.
- World Health Organization (1993). The ICD-10 Classification of Mental and Behavioural disorders: Diagnostic Criteria for research . Geneva:WHO.
- Yen S, Shea MT, Sanislow CA et al. Borderline personality disorder criteria associated with prospectively observed suicidal behavior. *Am J Psychiatry.* 2004;161:1296-8.
- Young J.E., Klosklo J.S. Weishaar M.E. Schema therapy. La terapia cognitivo-comportamentale per i disturbi di personalità. Milano: Eclipsi Editore, 2003
- Zanarini MC, Gunderson JG, Frankenburg FR. Cognitive features of borderline personality disorder. *Am J. Psychiatry,* 1990; 147,57-63.
- Zanarini MC, Ruser TF, Frankenburg FR, Hennen J, Gunderson JG. Risk factors associated with the dissociative experiences of borderline patients. *J Nerv Ment Dis.* 2000;188(1):26-30.
- Zanarini MC. Il decorso longitudinale del disturbo di personalità borderline. In Gunderson JG., Hoffman PD. *Disturbo di personalità borderline.* Milano: Springer-Verlag Italia, 2010: 75-90.
- Zanarini MC. Psychotherapy of borderline personality disorder. *Acta Psychiatr Scand.* 2009; Nov 120(5):373-7